

BluCem API0

ACRYLIC CONCRETE PRIMER



Bluey Technologies Pty Ltd
ABN 36 115 613 646

PO Box 898, Hamilton
QLD 4007 Australia
Tel: + 61 7 3399 3635
Fax: + 61 7 3899 9822

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name BLUEY TECHNOLOGIES
Address Lot 8, 53 Metroplex Ave, Murarrie QLD 4172 Australia
Telephone +61 7 3399 3635
Fax +61 7 3899 9822
Emergency +61 7 3399 3635
Email bluey@bluey.com.au
Web Site http://www.bluey.com.au

Synonym(s) BLUCEM ACRYLIC PRIMER • ACRYLIC CONCRETE PRIMER
Use(s) PRIMER FOR BLUCEM HB PRODUCTS AND BLUCEM RF20 SELF LEVEL
MSDS Date 12th November 2012

2. HAZARDS IDENTIFICATION

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO NOHSC CRITERIA

RISK PHRASES

SAFETY PHRASES

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN No.	None Allocated	DG Class	None Allocated	Subsidiary Risk(s)	None Allocated
Pkg Group	None Allocated	Hazchem Code	None Allocated	EPG	None Allocated

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
LATEX POLYMER	Not Available	Not Available	40-70%
WATER	H2O	7732-18-5	30-60%

4. FIRST AID MEASURES

Eye If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the PIC or a doctor, or for at least 15 minutes.

Inhalation If over exposure occurs leave exposure area immediately. If irritation persists, seek medical attention.

Skin Remove contaminated clothing and gently flush affected areas with water. Seek medical attention if irritation develops. Launder clothing before reuse.

Ingestion DO NOT induce vomiting. Immediately wash out mouth with water, and then give water to drink. Seek medical attention.

Advice to Doctor Treat symptomatically.



Australia & Asia-Pacific
bluey@bluey.com.au
www.bluey.com.au



BluCem API0

ACRYLIC CONCRETE PRIMER

5. FIRE FIGHTING MEASURES

Flammability	Non flammable. No fire or explosion hazard exists.
Fire and Explosion	Non flammable. Evacuate area and contact emergency services. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.
Extinguishing	Non flammable.
Hazchem Code	None Allocated.

6. ACCIDENTAL RELEASE MEASURES

Spillage	If spilt (bulk), wear splash-proof goggles, PVC/rubber gloves, coveralls and rubber boots. Absorb spill with sand or similar, collect and place in sealable containers for disposal. Prevent spill entering drains or waterways. Caution: Slippery when spilt.
-----------------	--

7. STORAGE AND HANDLING

Storage	Store in cool, dry area, removed from foodstuffs. Ensure containers are labelled, protected from physical damage and sealed when not in use.
Handling	Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Stds	No exposure standard(s) allocated.
Biological Limits	No biological limit allocated.
Engineering Controls	Ensure adequate natural ventilation.
PPE	Wear splash-proof goggles and rubber or PVC gloves. When using large quantities or where heavy contamination is likely, wear coveralls.



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	WHITE LIQUID	Solubility (water)	SOLUBLE
Odour	SLIGHT ACETIC ODOUR	Specific Gravity	1.07
pH	4.5	% Volatiles	30 to 60 % (Water)
Vapour Pressure	18 mm Hg @ 20°C	Flammability	NON FLAMMABLE
Vapour Density	> 1 (Air = 1)	Flash Point	NOT RELEVANT
Boiling Point	100°C	Upper Explosion Limit	NOT RELEVANT
Melting Point	0°C	Lower Explosion Limit	NOT RELEVANT
Evaporation Rate	NOT AVAILABLE	Autoignition Temperature	NOT AVAILABLE





BluCem API0

ACRYLIC CONCRETE PRIMER

10. STABILITY AND REACTIVITY

Chemical Stability Stable under recommended conditions of storage.

Conditions to Avoid Avoid heat, sparks, open flames and other ignition sources.

Material to Avoid Compatible with most commonly used materials.

Decomposition May evolve toxic gases if heated to decomposition.

Hazardous Reactions Polymerization is not expected to occur.

11. TOXICOLOGICAL INFORMATION

Health Hazard Summary Low toxicity - low irritant. This product may only present a hazard with direct eye contact or with prolonged and repeated skin contact. No chronic effects are anticipated with normal use.

Eye Low irritant. Exposure may result in irritation and lacrimation.

Inhalation Low irritant. Over exposure at high levels may result in mucous membrane irritation of the nose and throat with coughing.

Skin Low irritant. Prolonged and repeated contact may result in irritation, skin rash and dermatitis.

Ingestion Low toxicity. With large doses ingestion may result in nausea, vomiting and gastrointestinal irritation.

Toxicity Data No LD50 data available for this product.

12. ECOLOGICAL INFORMATION

Environment This product is not anticipated to cause adverse effects to animal or plant life if released to the environment in small quantities. Not expected to bioaccumulate.

13. DISPOSAL CONSIDERATIONS

Waste Disposal For small amounts, absorb with sand or similar and dispose of to an approved landfill site. Contact the manufacturer for additional information. Ensure that appropriate personal protective equipment is used during disposal.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

Shipping Name	None Allocated				
UN No.	None Allocated	DG Class	None Allocated	Subsidiary Risk(s)	None Allocated
Pkg Group	None Allocated	Hazchem Code	None Allocated	EPG	None Allocated

15. REGULATORY INFORMATION

Poison Schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

AICS All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Additional Information This product is manufactured by Minova Australia P/L.
Used in conjunction with water only.





BluCem API0

ACRYLIC CONCRETE PRIMER

ABBREVIATIONS:

- ADB - Air-Dry Basis.
- BEI - Biological Exposure Indice(s).
- CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.
- CNS - Central Nervous System.
- IARC - International Agency for Research on Cancer.
- M - moles per litre, a unit of concentration.
- mg/m³ - Milligrams per cubic metre.
- NOS - Not Otherwise Specified.
- pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).
- ppm - Parts Per Million.
- TWA/ES - Time Weighted Average or Exposure Standard.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Report Status

This document has been compiled by RMT on behalf of the manufacturer of the product and serves as the manufacturer's Material Safety Data Sheet ('MSDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While RMT has taken all due care to include accurate and up-to-date information in this MSDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this MSDS.

Prepared By

Risk Management Technologies
5 Ventnor Ave, West Perth
Western Australia 6005
Phone: +61 8 9322 1711
Fax: +61 8 9322 1794
Email: info@rmt.com.au
Web: www.rmt.com.au

MSDS Date: 12th November 2012

End of Report

